

RECEIVED  
CENTRAL FAX CENTER  
JUN 06 2007

Serial No. 10/705,437  
Page 2 of 9

**IN THE CLAIMS**

1. – 12. (canceled)

13. (currently amended) A software supplying device comprising:

a memory storing a software being downloaded by a radio terminal device; and

a communication unit notifies said radio terminal device of a number of divided blocks for transmitting of said stored software and transmits said divided blocks to the radio terminal device.

14. – 16. (canceled)

17. (currently amended) A radio terminal comprising:

a radio communication unit communicating with a software-supply device;

a memory storing a software presently involved in operations; and

a controller stopping a download of software from said software-supply device when the controller detects an operation for responding to an incoming call.

18. (currently amended) A radio terminal comprising:

a radio communication unit communicating with a software-supply device;

a memory storing a software presently involved in operations; and

84219445\_1

Serial No. 10/705,437

Page 3 of 9

a controller making a request to said software device ~~at least Na~~ a plurality of times for receiving a plurality of divided ~~control software~~ software blocks via a radio communication line for updating said stored software.

19. (currently amended) A radio terminal comprising:

a radio communication unit communicating with a software-supply device;

a memory storing a software presently involved in operations; and

a receiving unit receiving information from said software-supply device concerning a number of divided software blocks for updating said stored software, before starting a download of said number of divided software blocks.

20. – 21. (canceled)

22. (previously presented) A software supplying system comprising:

a radio terminal device adapted to receive communications and including a memory adapted to store a software application; and

a communication unit adapted to transmit to the radio terminal device both a) a number representing a quantity of divided blocks of the software application, and b) the divided blocks of the software application.

23. (new) The radio terminal of claim 18, wherein the controller performs the request based on a number of blocks notified by the software-supplying device.

84219445\_1

Serial No. 10/705,437  
Page 4 of 9

24. (new) The radio terminal of claim 23, wherein the number of blocks is notified before downloading of the divided software-blocks.

25. (new) The radio terminal of claim 24, wherein the radio terminal starts to communicate with the software-supplying device when a certain time elapses after a predetermined operation to the radio terminal.

26. (new) A method for updating software in a radio terminal device, comprising the steps of:

- storing, in a memory, software being downloaded by the radio terminal device;
- notifying said radio terminal device of a number of divided blocks for transmitting said stored software; and
- transmitting said divided blocks to the radio terminal device.

27. (new) A method for updating software in a radio terminal device, comprising the steps of:

- communicating with a software-supply device;
- storing, in a memory, software presently involved in operations;
- detecting whether there is an operation for responding to an incoming call; and

84219445\_1

Serial No. 10/705,437

Page 5 of 9

stopping a download of software from said software-supply device when an operation for responding to an incoming call is detected.

28. (new) A method for updating software in a radio terminal device, comprising the steps of:

communicating with a software-supply device;

storing, in a memory, software presently involved in operations; and

making a request to said software device a plurality of times for receiving a plurality of divided software blocks via a radio communication line for updating said stored software.

29. (new) The method of claim 28, wherein the request made to said software device is performed based on a number of blocks notified by the software-supplying device.

30. (new) The method of claim 29, wherein the number of blocks is notified before downloading of the divided software blocks.

31. (new) The method of claim 30, wherein communication with the software-supplying device starts when a certain time elapses after predetermined operation to the radio terminal.

32. (new) A method for updating software in a radio terminal device, comprising the steps of:

communicating with a software-supply device;

84219445\_1

Serial No. 10/705,437  
Page 6 of 9

storing, in a memory, software presently involved in operations; and  
receiving information from said software-supply device concerning a number of divided  
software blocks for updating said stored software, before starting a download of said number of  
divided software blocks.

84219445\_1